### RESPIRATORY

- Listen To Pt. Breathe or Talk
  - Noisy Breathing is Obstructed Breathing
  - Not All Obstructed Breathing is Noisy
  - Snoring Tongue Blocking Airway
  - Stridor "Tight" Upper Airway from Partial Obstruction

- Decreased LOC
- Head Trauma
- Maxillofacial Trauma
- Neck Trauma
- Chest Trauma

- Is the Pt. Moving Air?
- Is the Pt. Moving Air Adequately?
- Is the Pt's Blood Being Oxygenated?

- Look for Symmetry of Chest Expansion
- Look for Signs of Increased Respiratory Effort
- Look for Changes in Skin Color
- Listen for Air Movement at Mouth & Nose
- Listen for Air Movement in Peripheral Lung Fields
- Feel for Air Movement at Mouth & Nose
- Feel for Symmetry of Chest Expansion

- Nasal Flaring
- Tracheal Tugging
- Retractions
- Accessory Muscle Use
- Use of Abdominal Muscles on Exhalation

- Decreased LOC
- Possible Shock
- Possible Severe Hemorrhage
- Chest Pain
- Chest Trauma
- Respiratory distress or dyspnea
- HX of any Kind of Hypoxia

- <10</li>
- >24
- Insufficient Inspiratory O2 (Tidal Volume Inadequate)

- Open Pneumothorax
- Flail Chest
- Tension Pneumothorax

- IF YOU CAN'T TELL WHETHER A PT. IS MOVING AIR ADEQUATELY, HE ISN'T!
- THE NEED TO INTUBATE IS NOT THE SAME AS THE NEED TO VENTILATE!

- Is the heart beating?
- Is there major external hemorrhage?
- Is the Pt. Perfusing?
- Effects of hypoxia:
  - Early in adults Tachycardia
  - Late in adults Bradycardia
  - Children Bradycardia

- Don't let respiratory failure distract you from assessing for circulatory failure.
- Vascular Access

- Restlessness, anxiety, combativeness = HYPOXIA
- Drowsiness, lethargy = HYPERCARBIA

- Dyspnea
  - Subjective sensation that breathing is excessive, difficult, or uncomfortable

- How long has dyspnea been present?
- Gradual or sudden onset?
- What aggravates or alleviates?
- Coughing?
- Productive cough?
- What does sputum look/smell like?
- Pain?
- What does the pain feel like?

- Respiratory Pattern
  - Kussmaul
  - Cheyne-Stokes
  - Central Neurogenic Hyperventilation

#### Neck

- Trachea Midline?
- Jugular Vein Distention?
- Sub-cutaneous Emphysema?
- Accessory Muscle Use/Hypertrophy?

#### - Chest

- Barrel Chest?
- Deformity/Discoloration/Symmetry?
- Flail Segment/Paradoxical Movement?
- Breath Sounds?
- Adventitious Sounds?

#### - Chest

- Third Heart Sounds? (S3)
- Tenderness/Instability?
- Sub-cutaneous Emphysema?
- Fremitus?
- Symmetrical Expansion?
- Dullness/Hyperresonance to Percussion?

#### Extremities

- Pre-tibial/Pedal Edema
- Nailbed Color
- "Clubbing" of digits

- Upper Airway
- Partial obstruction of the upper airway by the tongue

- High pitched crowing sound
- Usually heard on inspiration
- Indication of a tight upper airway

- Whistling sound
- Usually heard on expiration
- Indication of narrowing of lower airways caused by:
  - Bronchospasm
  - Edema
  - Foreign material

- Rattling sound
- Caused by mucus in larger airways

- Fine crackling sound
- Indication of fluid in the alveoli

- Forced exhalation against partially closed glottis
- Reflex response to mucosa irritation
- Determine circumstances
  - At work
  - Postural changes
  - Lying down
- Productive vs non-productive

- Forced exhalation via nasal route
- Clears nasal passages
- Reflex response to mucosa irritation

- Slow, deep inspiration Prolonged, audible exhalation
- Reexpands areas of atelectasis

- Hiccups, singultus
- Spasm of diaphragm followed by glottic closure
- No useful purpose
- Benign, transient

- Breath-holding
- Rebreathing from paper bag
- Valsalva maneuver

- Brain stem lesions
- Increased intracranial pressure
- Renal failure
- Pancreatitis
- Hepatitis
- Liver cancer
- Pneumonia

# **Chief Complaint**

- Excessive
- Difficult
- Uncomfortable

## History of Present Illness

- Productive?
- Sputum color?

- What kind?

# Past History

-? CHF with pulmonary edema

-? COPD

-? Asthma

# Past History

-? Pulmonary embolism

### Medications

- Bronkodyl
- Bronkolixer
- Brokotabs
- Elixophyllin
- Theo-Dur
- Theofort

### Medications

- Lasix
- Diuril
- Hydrodiuril
- Digitalis